

Sysmac Library for NJ/NX/NY Controller

SYSMAC-XR011

EtherCAT 1S Series Library




Reduce servo drive setting and replacement work at changeover, maintenance, and operation times.		
Issue 1	Operation rates are low due to the time-consuming changes of servo drive settings.	
Issue 2	Operation became unstable due to changing settings. It takes time to restore to default or previous settings by using old version files to stabilize operation.	
Issue 3	When a broken device is replaced, a PC is required to change parameters.	
Issue 4	When operation becomes unstable due to parts replacement or deterioration, a PC is required for gain tuning.	

EtherCAT 1S Series Library offers solution!

The Parameter Backup Function Block backs up the parameters for each servo drive individually* (upload settings from the servo drive), and the Parameter Restore Function Block restores them individually (download settings to the servo drive), without connecting to a PC. You can easily change and recover servo drive settings. The Absolute Encoder Initialize Function Block initializes each absolute encoder individually.


Application example for replacement of servo drive



^{*} The Backup and Restore functions of the NJ/NX CPU Unit and the NY IPC Machine Controller can back up and restore the parameters for all the nodes at once. The addition of this library allows you to back up and restore the parameters for each node individually.



Application example for gain tuning



Compatible Models

Name	Model	Version
	NX701-1□□□/NJ101-□□□□	Version 1.10 or later
	NJ501-□□□□/NJ301-□□□□	Version 1.01 or later
Machine Automation Controller NJ/NX CPU Unit	NX1P2-□□□□□(1)	Version 1.13 or later
	NX102-□□□	Version 1.30 or later
	NX502-□□□	Version 1.60 or later
Industrial PC Platform NY IPC Machine Controller	NY5□□-1	Version 1.12 or later
industrial FC Flatform NT IFC Machine Controller	NY5□□-5	Version 1.18 or later
Automation Software Sysmac Studio	SYSMAC-SE2□□□	Version 1.16 or higher
1S Servo Drive	R88D-1SN□-ECT	Version 1.00 or later
with Built-in EtherCAT Communications	R88D-1SAN□-ECT	Version 1.00 or later
SD Memory Card	HMC-SD□□□	_

Function Block (FB) Specifications

Name	FB name	Description
1S-series Servo Drive Parameter Backup	Backup_1S	Backs up the parameters for a 1S Servo Drive and stores them as a backup file on the SD memory card inserted in the controller.
1S-series Servo Drive Parameter Restore	Restore_1S	Restores the backup file created by the Backup_1S Function Block on the SD memory card inserted in the controller to a 1S Servo Drive.
1S-series Servo Drive Absolute Encoder Initialize	InitEncoder_1S	Initializes the absolute encoder (clears the multi-rotation counter for the absolute encoder) for a 1S Servo Drive.
1S-series Servo Drive Motor Setup	MotorSetup_1S	Clears the Motor Replacement Detected error of a 1S Servo Drive.
1S-series Servo Drive Unit Restart	Restart_1S	Executes the Unit Restart and applies parameters without cycling the power to a 1S Servo Drive.
1S-series Servo Drive Easy Tuning	EasyTuning_1S	Adjusts the gains of a 1S Servo Drive.

Sysmac is a trademark or registered trademark of OMRON Corporation in Japan and other countries for OMRON factory automation products. EtherCAT® is registered trademark and patented technology, licensed by Beckhoff Automation GmbH, Germany. The SD logo is a trademark of SD-3C, LLC.

Other company names and product names in this document are the trademarks or registered trademarks of their respective companies.

Note: Do not use this document to operate the Unit.

OMRON Corporation Industrial Automation Company

Kyoto, JAPAN Contact : www.ia.omron.com

Regional Headquarters

OMRON EUROPE B.V.

Wegalaan 67-69, 2132 JD Hoofddorp The Netherlands Tel: (31) 2356-81-300 Fax: (31) 2356-81-388

OMRON ASIA PACIFIC PTE. LTD.

438B Alexandra Road, #08-01/02 Alexandra Technopark, Singapore 119968 Tel: (65) 6835-3011 Fax: (65) 6835-3011

OMRON ELECTRONICS LLC

2895 Greenspoint Parkway, Suite 200 Hoffman Estates, IL 60169 U.S.A. Tel: (1) 847-843-7900 Fax: (1) 847-843-7787

OMRON (CHINA) CO., LTD.

Room 2211, Bank of China Tower, 200 Yin Cheng Zhong Road, PuDong New Area, Shanghai, 200120, China Tel: (86) 21-6023-0333 Fax: (86) 21-5037-2388

Authorized Distributor:

©OMRON Corporation 2016-2023 All Rights Reserved. In the interest of product improvement, specifications are subject to change without notice.

CSM_2_6

Cat. No. P110-E1-06 0523 (0516)