

产品停产通知

轴流风扇

发布日期
2022 年 3 月 1 日
No. 2022028C

AC轴流风扇（□120×t38、端子型）R87□-A□A15MP、箱式风扇R87B-F系列部分产品、R87B-T系列的停产通知

停产产品

AC轴流风扇（□120×t38、端子型、中速）

R87□-A□A15MP

箱式风扇

**R87B-F系列部分产品、
R87B-T系列**

推荐的替代产品

AC轴流风扇（□120×t38、端子型、高速）

R87□-A□A15HP**R87B-N□（附件）**

+

R87□-A□A15□（AC轴流风扇）

+

R87F-PC-20（插头软线）

+

R87F-SET1238（选购套件）

■订货截止日期

2023年3月底

■装货截止日期

2023年9月底

■推荐的替代产品的注意事项

- 从R87□-A□A15MP替换为R87□-A□A15HP，电流、功耗、转速、风量、静压和噪音变高。
- R87B-□系列的替代产品附件（R87B-N□）、轴流风扇（R87□-A□A15□）、插头软线（R87F-PC-20）、选购套件（指触保护罩、安装螺钉、弹簧垫圈和螺母的套件产品：R87F-SET1238）为将单独订购。轴流风扇本体由中速型（R87□-A□A15MP）替换为高速型（R87□-A□A15HP）。

■与停产产品的异同点

推荐的替代产品型号	本体的颜色	外形尺寸	配线连接	安装尺寸	额定规格和性能	动作特性	操作方法
R87□-A□A15HP	◎	◎	◎	◎	○	○	◎
R87B-N□ +R87□-A□A15□ +R87F-PC-20 +R87F-SET1238	◎	◎	◎	◎	◎	◎	◎

◎：通用

○：几乎无更改/高相似度的更改

×：更改较大

—：无相应规格

■停产产品与推荐的替代产品

停产产品	推荐的替代产品
R87F-A1A15MP	R87F-A1A15HP
R87F-A3A15MP	R87F-A3A15HP
R87F-A4A15MP	R87F-A4A15HP
R87F-A6A15MP	R87F-A6A15HP
R87T-A1A15MP	R87T-A1A15HP
R87T-A3A15MP	R87T-A3A15HP
R87T-A4A15MP	R87T-A4A15HP
R87T-A6A15MP	R87T-A6A15HP
R87B-FA1A15HPF3	R87B-N3（需要数：1台）+
	R87F-A1A15HP（需要数：3台）+
	R87F-PC-20（需要数：3台）+
	R87F-SET1238（需要数：3台）
R87B-FA1A15HPFR3	R87B-N3（需要数：1台）+
	R87F-A1A15HP（需要数：3台）+
	R87F-PC-20（需要数：3台）+
	R87F-SET1238（需要数：3台）
R87B-FA1A15LPF	R87B-N（需要数：1台）+
	R87F-A1A15LP（需要数：1台）+
	R87F-PC-20（需要数：1台）+
	R87F-SET1238（需要数：1台）
R87B-FA1A15LPF2	R87B-N2（需要数：1台）+
	R87F-A1A15LP（需要数：2台）+
	R87F-PC-20（需要数：2台）+
	R87F-SET1238（需要数：2台）
R87B-FA1A15LPF3	R87B-N3（需要数：1台）+
	R87F-A1A15LP（需要数：3台）+
	R87F-PC-20（需要数：3台）+
	R87F-SET1238（需要数：3台）

停产产品	推荐的替代产品
R87B-FA1A15LPFR	R87B-N（需要数：1台）＋
	R87F-A1A15LP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-FA1A15LPFR2	R87B-N2（需要数：1台）＋
	R87F-A1A15LP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-FA1A15LPFR3	R87B-N3（需要数：1台）＋
	R87F-A1A15LP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-FA3A15HPF	R87B-N（需要数：1台）＋
	R87F-A3A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-FA3A15HPF2	R87B-N2（需要数：1台）＋
	R87F-A3A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-FA3A15HPF3	R87B-N3（需要数：1台）＋
	R87F-A3A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-FA3A15HPFR	R87B-N（需要数：1台）＋
	R87F-A3A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-FA3A15HPFR2	R87B-N2（需要数：1台）＋
	R87F-A3A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-FA3A15HPFR3	R87B-N3（需要数：1台）＋
	R87F-A3A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-FA3A15LPF	R87B-N（需要数：1台）＋
	R87F-A3A15LP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-FA3A15LPF2	R87B-N2（需要数：1台）＋
	R87F-A3A15LP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）

停产产品	推荐的替代产品
R87B-FA3A15LPF3	R87B-N3（需要数：1台）＋
	R87F-A3A15LP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-FA3A15LPFR	R87B-N（需要数：1台）＋
	R87F-A3A15LP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-FA3A15LPFR2	R87B-N2（需要数：1台）＋
	R87F-A3A15LP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-FA3A15LPFR3	R87B-N3（需要数：1台）＋
	R87F-A3A15LP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-FA4A15HPF3	R87B-N3（需要数：1台）＋
	R87F-A4A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-FA4A15HPFR3	R87B-N3（需要数：1台）＋
	R87F-A4A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-FA4A15LPF	R87B-N（需要数：1台）＋
	R87F-A4A15LP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-FA4A15LPF2	R87B-N2（需要数：1台）＋
	R87F-A4A15LP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-FA4A15LPF3	R87B-N3（需要数：1台）＋
	R87F-A4A15LP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-FA4A15LPFR	R87B-N（需要数：1台）＋
	R87F-A4A15LP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-FA4A15LPFR2	R87B-N2（需要数：1台）＋
	R87F-A4A15LP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）

停产产品	推荐的替代产品
R87B-FA4A15LPFR3	R87B-N3（需要数：1台）＋
	R87F-A4A15LP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-FA6A15HPF	R87B-N（需要数：1台）＋
	R87F-A6A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-FA6A15HPF2	R87B-N2（需要数：1台）＋
	R87F-A6A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-FA6A15HPF3	R87B-N3（需要数：1台）＋
	R87F-A6A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-FA6A15HPFR	R87B-N（需要数：1台）＋
	R87F-A6A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-FA6A15HPFR2	R87B-N2（需要数：1台）＋
	R87F-A6A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-FA6A15HPFR3	R87B-N3（需要数：1台）＋
	R87F-A6A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-FA6A15LPF	R87B-N（需要数：1台）＋
	R87F-A6A15LP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-FA6A15LPF2	R87B-N2（需要数：1台）＋
	R87F-A6A15LP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-FA6A15LPF3	R87B-N3（需要数：1台）＋
	R87F-A6A15LP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-FA6A15LPFR	R87B-N（需要数：1台）＋
	R87F-A6A15LP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）

停产产品	推荐的替代产品
R87B-FA6A15LPFR2	R87B-N2（需要数：1台）＋
	R87F-A6A15LP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-FA6A15LPFR3	R87B-N3（需要数：1台）＋
	R87F-A6A15LP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-TA1A15HPF	R87B-N（需要数：1台）＋
	R87T-A1A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-TA1A15HPF2	R87B-N2（需要数：1台）＋
	R87T-A1A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-TA1A15HPF3	R87B-N3（需要数：1台）＋
	R87T-A1A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-TA1A15HPFR	R87B-N（需要数：1台）＋
	R87T-A1A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-TA1A15HPFR2	R87B-N2（需要数：1台）＋
	R87T-A1A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-TA1A15HPFR3	R87B-N3（需要数：1台）＋
	R87T-A1A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-TA1A15MPF	R87B-N（需要数：1台）＋
	R87T-A1A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-TA1A15MPF2	R87B-N2（需要数：1台）＋
	R87T-A1A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-TA1A15MPF3	R87B-N3（需要数：1台）＋
	R87T-A1A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）


停产产品	推荐的替代产品
R87B-TA1A15MPFR	R87B-N（需要数：1台）＋
	R87T-A1A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-TA1A15MPFR2	R87B-N2（需要数：1台）＋
	R87T-A1A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-TA1A15MPFR3	R87B-N3（需要数：1台）＋
	R87T-A1A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-TA3A15HPF	R87B-N（需要数：1台）＋
	R87T-A3A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-TA3A15HPF2	R87B-N2（需要数：1台）＋
	R87T-A3A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-TA3A15HPF3	R87B-N3（需要数：1台）＋
	R87T-A3A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-TA3A15HPFR	R87B-N（需要数：1台）＋
	R87T-A3A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-TA3A15HPFR2	R87B-N2（需要数：1台）＋
	R87T-A3A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-TA3A15HPFR3	R87B-N3（需要数：1台）＋
	R87T-A3A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-TA3A15MPF	R87B-N（需要数：1台）＋
	R87T-A3A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-TA3A15MPF2	R87B-N2（需要数：1台）＋
	R87T-A3A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）

停产产品	推荐的替代产品
R87B-TA3A15MPF3	R87B-N3（需要数：1台）＋
	R87T-A3A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-TA3A15MPFR	R87B-N（需要数：1台）＋
	R87T-A3A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-TA3A15MPFR2	R87B-N2（需要数：1台）＋
	R87T-A3A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-TA3A15MPFR3	R87B-N3（需要数：1台）＋
	R87T-A3A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-TA4A15HPF	R87B-N（需要数：1台）＋
	R87T-A4A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-TA4A15HPF2	R87B-N2（需要数：1台）＋
	R87T-A4A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-TA4A15HPF3	R87B-N3（需要数：1台）＋
	R87T-A4A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-TA4A15HPFR	R87B-N（需要数：1台）＋
	R87T-A4A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-TA4A15HPFR2	R87B-N2（需要数：1台）＋
	R87T-A4A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-TA4A15HPFR3	R87B-N3（需要数：1台）＋
	R87T-A4A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-TA4A15MPF	R87B-N（需要数：1台）＋
	R87T-A4A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）







停产产品	推荐的替代产品
R87B-TA4A15MPF2	R87B-N2（需要数：1台）＋
	R87T-A4A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-TA4A15MPF3	R87B-N3（需要数：1台）＋
	R87T-A4A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-TA4A15MPFR	R87B-N（需要数：1台）＋
	R87T-A4A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-TA4A15MPFR2	R87B-N2（需要数：1台）＋
	R87T-A4A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-TA4A15MPFR3	R87B-N3（需要数：1台）＋
	R87T-A4A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-TA6A15HPF	R87B-N（需要数：1台）＋
	R87T-A6A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-TA6A15HPF2	R87B-N2（需要数：1台）＋
	R87T-A6A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-TA6A15HPF3	R87B-N3（需要数：1台）＋
	R87T-A6A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）
R87B-TA6A15HPFR	R87B-N（需要数：1台）＋
	R87T-A6A15HP（需要数：1台）＋
	R87F-PC-20（需要数：1台）＋
	R87F-SET1238（需要数：1台）
R87B-TA6A15HPFR2	R87B-N2（需要数：1台）＋
	R87T-A6A15HP（需要数：2台）＋
	R87F-PC-20（需要数：2台）＋
	R87F-SET1238（需要数：2台）
R87B-TA6A15HPFR3	R87B-N3（需要数：1台）＋
	R87T-A6A15HP（需要数：3台）＋
	R87F-PC-20（需要数：3台）＋
	R87F-SET1238（需要数：3台）

停产产品	推荐的替代产品
R87B-TA6A15MPF	R87B-N (需要数: 1台) +
	R87T-A6A15HP (需要数: 1台) +
	R87F-PC-20 (需要数: 1台) +
	R87F-SET1238 (需要数: 1台)
R87B-TA6A15MPF2	R87B-N2 (需要数: 1台) +
	R87T-A6A15HP (需要数: 2台) +
	R87F-PC-20 (需要数: 2台) +
	R87F-SET1238 (需要数: 2台)
R87B-TA6A15MPF3	R87B-N3 (需要数: 1台) +
	R87T-A6A15HP (需要数: 3台) +
	R87F-PC-20 (需要数: 3台) +
	R87F-SET1238 (需要数: 3台)
R87B-TA6A15MPFR	R87B-N (需要数: 1台) +
	R87T-A6A15HP (需要数: 1台) +
	R87F-PC-20 (需要数: 1台) +
	R87F-SET1238 (需要数: 1台)
R87B-TA6A15MPFR2	R87B-N2 (需要数: 1台) +
	R87T-A6A15HP (需要数: 2台) +
	R87F-PC-20 (需要数: 2台) +
	R87F-SET1238 (需要数: 2台)
R87B-TA6A15MPFR3	R87B-N3 (需要数: 1台) +
	R87T-A6A15HP (需要数: 3台) +
	R87F-PC-20 (需要数: 3台) +
	R87F-SET1238 (需要数: 3台)

■外形尺寸

停产产品 R87□-A□A15MP	推荐的替代产品 R87□-A□A15HP
 The technical drawing shows two views of the fan. The side view (left) indicates a total height of 8mm, with 0.5mm gaps at the top and bottom. The front view (right) shows a square frame with outer dimensions of 119.5±0.5mm and inner dimensions of 104.8±0.3mm. Mounting holes are spaced 9mm apart, with a hole diameter of 4.3mm. The fan blades are 11mm wide. Arrows indicate the '风方向' (Wind direction) and '旋转方向' (Rotation direction).	

■外形尺寸（续）

停产产品 R87B-□系列	推荐的替代产品 R87B-N□+R87□-A□A15+R87F-PC-20 +R87F-SET1238
组合各单元（R87B-N□+R87□-A□A15+R87F-PC-20）时，外形尺寸与停产产品R87B-□系列相同。	
1连型  Technical drawing of a 1-unit terminal block. The front view shows a width of 180 ± 0.3 mm and a height of 180 ± 0.3 mm. The panel cutout view shows a width of 170 ± 0.1 mm and a height of 160 ± 1 mm. The side view shows a depth of 64.5 mm and a mounting hole diameter of $2 \times \phi 6$.	面板切割尺寸  Panel cutout dimensions for the 1-unit terminal block. The width is 170 ± 0.1 mm and the height is 160 ± 1 mm. The mounting hole diameter is $2 \times \phi 6$.
2连型  Technical drawing of a 2-unit terminal block. The front view shows a width of 305 ± 0.4 mm and a height of 180 ± 0.3 mm. The panel cutout view shows a width of 295 ± 0.4 mm and a height of 170 ± 0.3 mm. The side view shows a depth of 64.5 mm and a mounting hole diameter of $4 \times \phi 6$.	面板切割尺寸  Panel cutout dimensions for the 2-unit terminal block. The width is 295 ± 0.4 mm and the height is 170 ± 0.3 mm. The mounting hole diameter is $4 \times \phi 6$.
3连型  Technical drawing of a 3-unit terminal block. The front view shows a width of 430 ± 0.5 mm and a height of 180 ± 0.3 mm. The panel cutout view shows a width of 420 ± 0.5 mm and a height of 170 ± 0.3 mm. The side view shows a depth of 64.5 mm and a mounting hole diameter of $4 \times \phi 6$.	面板切割尺寸  Panel cutout dimensions for the 3-unit terminal block. The width is 420 ± 0.5 mm and the height is 170 ± 0.3 mm. The mounting hole diameter is $4 \times \phi 6$.


■额定规格和性能

AC轴流风扇额定规格

项目		停产产品 R87□-A□A15MP				推荐的替代产品 R87□-A□A15HP			
		R87F-A□A15MP		R87T-A□A15MP		R87F-A□A15HP		R87T-A□A15HP	
		50 Hz	60 Hz	50 Hz	60 Hz	50 Hz	60 Hz	50 Hz	60 Hz
额定电流 (A) *	AC 100 V	0.220	0.180	0.170	0.150	0.230	0.200	0.240	0.210
	AC 115 V	0.180	0.160	0.140	0.120	0.190	0.170	0.210	0.180
	AC 200 V	0.110	0.090	0.080	0.070	0.110	0.100	0.120	0.110
	AC 230 V	0.090	0.080	0.070	0.060	0.090	0.080	0.110	0.090
功耗 (W) *		15	14	12	11	15	14	17	16
额定转速 (r/min) *		2450	2700	2350	2600	2750	3200	2700	3100
最大风量 (m³/min) *		2.2	2.5	1.8	2.1	2.7	3.1	2.6	2.9
最大静压 (Pa) *		64	64	42	40	93	80	80	62
噪音 (dB) *		39	42	36	40	42	46	42	46

* 表示标称值。

■动作特性



本指南中记载的规格为发布时的最新内容。规格等如有变更，恕不另行通知。

本指南内记载了主要规格上的更改内容。有关使用注意事项等使用时必须了解的内容，请务必阅读产品目录、规格书、使用说明书和手册。